

Phihong Launches DoE Level VII
ready, High Efficiency 90-watt Single
Output AC/DC Adapters



Phihong Launches DoE Level VII ready, High Efficiency 90-watt Single Output
AC/DC Adapters

Description



**Phihong Launches DoE Level VII ready, High Efficiency 90-watt S
Adapters**



[Phihong](#), a renowned provider of dependable and economical power conversion solutions, has introduced efficiency, desktop adapters that are compliant with pending US DoE Level VII energy efficiency regulation. The AA90U series is designed for worldwide use, with an operating input voltage range of 90 to 264VAC. All models feature a 60320 C14 input inlet and are packaged in modest splash proof housing measuring 5.57" x 2.46" x 1.30".

Voltage Options AA90U Series

19V

24V

48V

54V



Center Positive
Output Barrel Connector



Output Cable from 1000mm to 1500mm

The output cables on the AA90U family measure from 1000mm to 1500mm for the series and are equipped with a 9.5mm center positive output barrel connector. Phihong's AA90U series allows you to rest easy at night, sleep soundly, and be confident in your choice, as it is compliant with the proposed US DoE Level VII, as well as the EU's Code of Conduct Version 5 Tier 2 energy efficiency standard, which is mandatory in the near future.



CDI
4770 N. Forest St., Unit C
Denver, CO 80216

www.cdiweb.com | 1-800-777-7334 | sales@cdiweb.com

Category

1. Ewave
2. Phihong
3. Power Electronics

Date Created

July 22, 2024

Author

eisha-khalidcdiweb-com

default watermark